

Roundtower Declaration of Conformity

1. Unique Identification code: Roundtower SuperTherm

2. Type, batch or serial number (or any other element) allowing identification of the product:

Production date and batch number is printed on the bag

3. Intended use: General Purpose Rendering/plastering Mortar (GP) (Internal only)

4. Name, registered trade name or registered trade mark and contact address of the

manufacturer: Cornerstone Mortars, Brims Park, Old Callywith Road, Bodmin, Cornwall, PL31 2DZ

5. Authorised representative: Not Applicable

6. Assessment and Verification of Consistency of Performance: Level 4

7. In accordance with harmonized standard: EN998-1:2016

8. European Technical Assessment: Not Applicable

9. Declared Performance:

| | |
|---------------------------------|---------------------------------------------------------------------------------|
| Reaction to Fire | TBC – Initial Testing indicates Euroclass B |
| Adhesion | 0.14 N/mm ² – Fracture pattern B |
| Water Absorption | W0 |
| Water Vapour Permeability | μ 5/20 |
| Thermal Conductivity (Measured) | 0.0395 W/mK |
| Durability against Freeze/Thaw | Evaluation based on provisions valid in the intended place of use of the mortar |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in the table in point 9. This Declaration of Conformity is issued under the sole responsibility of the manufacturer named in point 4 and is made in accordance with Annex ZA of BS EN998-1:2016.

Signed

Edd Walker

Name

Mr Edward Walker

Position

Technical Manager

Date

07/11/2024

Please note – this sheet is a provisional draft whilst awaiting the formal issue of the certificate for the fire testing